



# Product Specification **4G LTE ANTENNA**

**ANTLTE-3SP** 



## Overview


The LTE-3SP is a high-performance screw mount antenna intended for LTE 4G, 3G and WiFi coverage. Its robust design and low visual impact make it perfect for fixed and mobile data applications in situations where damage may occur. With its high efficiency and sensitivity, the antenna covers all LTE cellular bands as well as 2.4GHz and optional GPS. The LTE-3SP comes supplied with a 3-meter RG174 cable.

## **Specifications**

Electrical Specifications	
Frequency	700-2700MHz
Gain	2.5-3.0 dBi
VSWR	Less than 2.0:1
Connector	SMA
Cable	RG-174
Impedance	50 Ω
Radiation	Omni-Directional
Mechanical Specifications	
Mounting	12mm Stud mount
Mechanism	
Height	26.3 mm
Diameter	73.6 mm
Material	Polycarbonate

7

# **Dimensions**







# **Figures**

## **Radiation Pattern**

### **H-Plane Radiation Pattern**



#### **E-Plane Radiation Pattern**





https://www.facebook.com/Intercel-775004365883748 in www.linkedin.com/company/intercel

www.intercel.com.au 33 Glenvale Crescent Mulgrave VIC 3170 Australia intercel@intercel.com.au +61 (0) 3 9239 2000